

1994"

United States Department of Defense

US Army Corps of Engineers - Rock Island District

UMR-IWW Navigation Study 1994 Public Meetings

Interim Product Report, November 1995
"Response to Issues Raised at the Public and NEPA Scoping Meetings of November

Figure 2 - Potential Small-Scale Measures

FIGURE 2

Potential Small-Scale Measures

1. SCHEDULING OF LOCK OPERATIONS

- 1a. N-Up/N-Down
- 1b. Ready to Serve Policy
- 1c. Self Help Policy
- ld. Scheduling Program

2. ASSISTANCE TO LOCKAGES

- 2a. Helper Boats
- 2b. Switchboats2c. Endless Cable System
- 2d. Unpowered Traveling Kevel
- 2e. Powered Traveling Kevel
- 2f. Hydraulic Assistance

3. IMPROVEMENTS TO APPROACH CHANNELS

- 3a. Approach Channel Widening/Realignment
- 3b. Adjacent Mooring Facilities
- 3c. Funnel-Shaped Guidewalls
- 3d. Wind Deflectors
- 3e. Extend Guidewalls
- 3f. Add Guide Cells
- 3g. Reconfigure Bullnose
- 3h. Radar Reflectors
- 3i. Electronic Guidance System

4. AREA-WIDE CHANNEL IMPROVEMENTS

- 4a. Remove/Adjust Bends, One-way Reaches, Bridges
- 4b. Improve Navigation Aids and Channel Markings
- 4c. Innovative Dredging Strategies
- 4d. Water Flow Management Policies
- 4e. Increase Channel Width
- 4f. Isolate Recreational Facilities & Marinas Away from Channel
- 4g. Improve Bridge Operations and Maintenance
- 4h. Dual Channel at Restrictive Bridges

5. TOW CONFIGURATION AND OPERATIONS

- 5a. Mandate Use of Bow Thrusters
- 5b. Mandate Use of Prototype Bow Thrusters
- 5c. Tow Size Standardization
- 5d. Cooperative Equipment sharing/Scheduling
- Institute Waterway Traffic Management 5e.
- 5f. Increase Number and Size of Fleeting Areas
- Fuel Monitoring & Management
- 5h. Use of Heavy Fuels
- 5i. New Barge and Boat Bottom Treatments
- 5j. Improved Barge and Boat Hull Designs
- 5k. Barge Stacking for Backhauls
- 51. Container Movement
- New Backhaul Opportunities 5m.
- Universal Couplers/Hand Winches
- 50. Increase Speed Limits in Restricted Reaches
- 5p. Reduce Liability of Tow Operators for Damage
- 5q. Require Minimum Crew Size and Training
- 5r. Mandate Minimum Horsepower

LOCK OPERATING EQUIPMENT/PROCEDURES

- Modify Intake Structures
- Modify Discharge Structures 6b.
- 6c. Modify Wall Ports
- Install Self-Cleaning Trash Racks 6d.
- бе. Centralize Controls
- 6f. Portable Controls
- 6q. Automate Controls
- Install Floating Mooring Bits
- 6i. Upgrade Valve Operating Equipment
- Upgrade Gate Operating Equipment 6i.
- Install Gate Wickets in Miter Gates 6k. 61. Provide Explicit Operating Guides
- бm. Fenders, energy Absorbers
- Require Vessels to Stay Clear of Emptying/Filling System 6n.
- 60. Operate Dam Gates Based on Lockage
- Lift Gates at Lock бρ.

7. ICE CONDITIONS

- 7a. Mechanical Ice Cutting Device
- 7b. Skin Plates
- 7c. Air Bubbler System
- 7d. Heat Plates
- 7e. Heated Water Jet
- 7f. Clear Ice from Barges
- Ice Chutes 7a.

RECREATIONAL VESSELS

- 8a. Recreational Vessel Bypass Lifts
- Scheduling of Recreational Vessel Usage
- License Recreational Craft Operators 8c.
- 8d. Recreational Craft Landing Above and Below lock

COST ALLOCATION

- 9a. Apply Congestion Tolls
- 9h. Allocation of Operations and Maintenance Costs
- Low Head Hydroelectric Units
- 9d. Privatization of Lock Operations
- 9e. Excess Lockage Time Charges
- Lockage Time Charges 9f.

10. OTHER

- 10a. Increase Lock Staffing
- Automate Dam Controls
- 10c. Radar at Lock
- 10d. Real-Time Channel Depth and Weather Monitoring
- 10e. Improved Lighting
- 10f. Publish Lockage Times by User
- 10g. Create Indraft
- 10h. Operational Philosophy/Industry Attitude
- Deepen River Upstream of Gates 10i.
- 10j. Pilot Communication (Bulletin Board)
- 10k. Closed Circuit Television (CCTV) at Lock 101.
- Wicket Gates in Dam
- 10m. Automated Lockage System from Queue Point
- 10n. Specified Navigation Season

Back to the Engineering Issue Statements

Back to the Interim Report Table of Contents

Back to the Navigation Study Home Page

[Last modified 7 Aug 1997]